



SUPPLEMENTARY INSTRUCTIONS

(COMPLYING WITH UK REGULATIONS)

MODELS COVERED: All

IMPORTANT

This important note must be read in conjunction with the installation instructions supplied with your Dovre appliance:
The following instructions must be adhered to in order to comply with the UK building regulations (ADJ) and BS8303
(the installation of solid fuel appliances) and HETAS requirements.

INSTALLATION SUPPLEMENTARY

USER INSTRUCTIONS

1. GENERAL POINTS

- 1.1 **Before use of this appliance please read these instructions fully.**
- 1.2 **All local regulations, including those referring to national and European Standards need to be complied with when installing the appliance.**
- 1.3 Only use for domestic heating in accordance with these operating instructions.
- 1.4 Appliance surfaces become very hot when in use. Use a suitable fireguard if young children, elderly or infirm persons are present. Stovax offer firescreens, sparkguards and hearthgate systems for protection*. Your Stovax dealer can advise you about these products.
- 1.5 Do not obstruct inside or outside ventilation required for the safe use of this appliance.
- 1.6 Do not make unauthorised changes to the appliance.
- 1.7 The chimney must be swept at least once a year. See Section 12
- 1.8 Do not use aerosols near the appliance when it is in operation.
- 1.8 **Use a protected gloved hand to operate.**

DO NOT OPEN THE DOOR WITH BARE HANDS

2. WARNING

Properly installed, operated and maintained this appliance will not emit fumes into the room.

Occasional fumes from de-ashing and refuelling may occur.

Persistent fume emission is potentially dangerous and must not be tolerated.

If fume emission does persist:

- Open doors and windows to ventilate the room
- Allow fire to burn out or safely dispose of fuel from the appliance
- Leave the room
- Check for chimney blockage and clean if required

In the U.K:

* These products must conform to BS 6539, Fireguards for use with solid fuel appliances.

If appliance is operating unattended they must conform to BS 3248

**This should be done by a NACS registered (UK only)/ INFO registered (Eire only) chimney sweep, who will issue you with a certificate.

***BS 6461: Part 1, and the requirements of Building Regulations

- Do not attempt to relight until the cause of the emission has been identified and corrected
If necessary seek expert advice.

3. CHIMNEY SWEEPING

- 3.1 To maintain safe and efficient use of the appliance the chimney/flue must be inspected and swept at least once a year by a qualified chimney sweep.**

If the appliance is used continuously throughout the year or it is used to burn wood or smokeless fuel, more frequent sweeping is recommended.

The best time to have the chimney swept is at the start of the heating season.

The above applies even if burning smokeless fuels.

- 3.2 The chimney, any connecting flue pipe and the appliance flue ways if incorporated, must be regularly cleaned.
- 3.3 Ensure adequate access to cleaning doors where it is not possible to sweep through the chimney.
- 3.4 If the appliance is believed to have previously served an open fire the chimney must be swept a second time within a month of regular use after installation.

4. SMOKE CONTROL EXEMPTION (DOVRE 250)

- 4.1 The Dovre 250 has been approved as a smoke exempt product for burning wood when modified with the appropriate Smoke Control kit (Part No. DV250SCKIT). For details on how to modify your specific appliance please refer to the instruction book (PM268).

INSTALLATION INSTRUCTIONS

LEGAL REQUIREMENTS

Before installation of this product please read these instructions fully.

It is very important to understand the requirements of the national Building Regulations*** and standards, along with any local regulations and working practices that may apply. Should any conflict occur between these instructions and these regulations then the regulations must apply.

Your local Building Control Office can advise regarding the requirements of the regulations.

The appliance must be fitted by a registered installer, or approved by your local building control officer.

Works must be carried out with care to meet the requirements of

INSTALLATION SUPPLEMENTARY

Health and Safety† and comply with the Health and Safety rules, and any new regulations introduced during the lifetime of these instructions. Particular attention should be drawn to:

- **Handling:** The appliance is heavy. Adequate facilities must be available for loading, unloading and site handling.
- **Fire Cement:** Some fire cement is caustic and must not come into contact with the skin. Protective gloves must be worn. Wash hands thoroughly with plenty of water after contact with skin.
- **Asbestos:** This appliance contains no asbestos. If there is the possibility of disturbing any asbestos in the course of installation seek specialist guidance and use appropriate equipment.
- **Metal Parts:** Take care when installing or servicing the stove to avoid personal injury.

A faulty installation can cause danger to the inhabitants and structure of the building.

For users of this appliance:

Your building insurance company may require you to inform them that you have installed a new heating appliance. Check that your cover is still valid after installing the appliance.

1. FLUE OR CHIMNEY

- 1.1 The flue or chimney system must be in good condition. It must be inspected by a competent person and passed for use with the appliance before installation**

Products of combustion entering the room can cause serious health risks.

- 1.2 You must check the following:

— The construction of the masonry chimneys, flue block chimneys and connecting flue pipe system must meet the requirements of the Building Regulation†

— A flexible flue liner system can be used if certified for use with solid fuel systems and installation complies with manufacturer's instructions and Building Regulations. The flue liner must be replaced when an appliance is replaced unless proven to be recently installed and in good condition.

— If it is necessary to fit a register plate it must conform to the Building Regulation†

— The minimum height of the flue or chimney must be 4.5m from the hearth to the top of the flue, with no horizontal sections, a maximum of 4 bends with angles of less than 45 degrees

— Ensure the connecting flue pipe it kept a suitable distance from any combustible material and does not form part of the supporting structure of the building

— Make provision to remove the appliance without the need to dismantle the chimney

— Any existing flue must be confirmed as suitable for the new intended use as defined in the Building Regulations

— The flue or chimney systems must be inspected and

swept to confirm the system is structurally sound and free from obstructions**

— If the chimney is believed to have previously served an open fire it must be swept a second time within a month of regular use after installation to clear any soots falls that may occurred due to difference in combustion levels.

— The flue exit from the building must comply with local building control rules.†

— Do not connect or share the flue or chimney system with another heating appliance

- 1.3 Do not connect to systems containing large voids or over 230mm square.
- 1.4 You must provide suitable access to enable the collection and removal of debris.
- 1.5 You must be able to sweep and inspect the flue when the appliance is installed.
- 1.6 You must check the flue draught with all windows and doors closed and any extraction fans in this or adjoining rooms running at maximum speed. (See next section for additional ventilation requirements)

Max. Draught = 2.0mm Wg
Min. Draught = 1.0mm Wg

In the U.K:

**This should be done by a NACS registered (UK only)/ INFO registered (Eire only) chimney sweep, who will issue you with a certificate.

† Building Regulations Document J

Flue Plate:

Where a hearth, fireplace, flue or chimney is provided or extended (including cases where a flue is provided as part of refurbishment work), information essential to the correct appliance and use of these should be permanently posted in the building, to meet Requirement J4 of the Building Regulations (England and Wales), F3.12 (Scotland).

Additional:

A new factory made system that complies to EN 1856; Part 1 can be used providing installation is to the requirements of:

- BS 7566 Parts 1 -4
- the manufacturer's instructions
- Building Regulations.

For a guide containing information on Chimneys and Flues contact:

The British Flue & Chimney Manufacturers' Association,
FETA
2 Waltham Court
Milley Lane
Hare Hatch
Reading
Berkshire RG10 9TH
Tel: 0118 9403416 e-mail: info@feta.co.uk



United Kingdom and Eire distributors for Dovre:

STOVAX

Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, England, EX2 7LF.

Telephone: (01392) 474011 Fax: (01392) 219932

E-mail: dovre@stovax.com Internet: www.dovre.co.uk